

In accordance with the recent Agricultural Weed Control Guide, NDSU Extension Service, the most cost effective broadcast treatment for leafy spurge is picloram (Tordon). The mixing procedure is:

Apply 1 oz. Tordon 22K + 2 oz. 2,4-D Amine with 1.25-1.5 gallons of water on 2722 square feet (52 feet square).

or

Apply 1 pint Tordon 22K + 2 pints 2,4-D Amine with 10-12 gallons of water on 1 acre (43,560 square feet).

or

Apply 1 quart Tordon 22K + 2 quarts 2,4-D Amine with 20-25 gallons of water on 2 acres.

or

Apply 1 gallon Tordon 22K + 2 gallons 2,4-D Amine with 80-100 gallons of water on 8 acres.

(See the recent Weed Guide for other formulations.)

Always remember to follow label directions.

In accordance with the recent Agricultural Weed Control Guide, NDSU Extension Service, the most cost effective broadcast treatment for leafy spurge is picloram (Tordon). The mixing procedure is:

Apply 1 oz. Tordon 22K + 2 oz. 2,4-D Amine with 1.25-1.5 gallons of water on 2722 square feet (52 feet square).

or

Apply 1 pint Tordon 22K + 2 pints 2,4-D Amine with 10-12 gallons of water on 1 acre (43,560 square feet).

or

Apply 1 quart Tordon 22K + 2 quarts 2,4-D Amine with 20-25 gallons of water on 2 acres.

or

Apply 1 gallon Tordon 22K + 2 gallons 2,4-D Amine with 80-100 gallons of water on 8 acres.

(See the recent Weed Guide for other formulations.)

Always remember to follow label directions.